

FICHA TÉCNICA/ DATA SHEET

RECTIFICADORA DANOBAT RT 1200

Marca: DANOBAT

Modelo: RT-1200

Año: 2003

Referencia: ORL-1896

Control: FAGOR 102S



GENERAL/ GENERAL

Máx. longitud rectificable /
Max. grinding length **1200 mm**

Máx. anchura rectificable /
Max. grinding width **750 mm**

Máx. altura rectificable /
Max. grinding height **450 mm**

MESA / TABLE

Zona de apoyo de la
mesa / **1200x600 mm**
Table support area

Velocidad regulable /
Regulable speed range **1-40 m/min**

Peso máx. sobre la mesa/
Maximum weight on table **1250 kg**

CABEZAL / WHEELHEAD

**Dimensiones máx. de la
muela /** *400x100x127 mm*

Maximum wheel dimensions

Velocidad muela / *1500 min⁻¹*

Wheel speed

**Velocidad periférica de la
muela/** *30 m/s*

Grinding wheel peripheral speed

MOTOR/ MOTOR

Cabezal / *11 KW*

Wheelhead

RECORRIDO VERTICAL/ VERTICAL TRAVEL

**Velocidad
programable/** *1-2000 mm/min*

Programmable speed

**Incremento mínimo
programable/** *0,001 mm*

*Minimum programmable
increment*

RECORRIDO TRANSVERSAL / CROSS TRAVEL

**Velocidad
programable /** *1-8000 mm/min*

Programmable speed

**Incremento mínimo
programable /** *0,001 mm*

*Minimum programmable
increment*

Velocidades/ *De 10 a 250 min⁻¹*

Speeds

VARIOS/ MISCELLANEOUS

Peso neto aproximado / *8300 kg*

Aproximate net weight

IMÁGENES / PICTURES

